

Cancer & Treatment

For New Patients

Counseling & Support

Survivorship Center

Hospital Information

Making an Appointment

INTEGRATIVE MEDICINE

Shiitake Mushroom

Search Herbs, Botanicals & Other Products

GO

[About Herbs Newsletter](#)

SIGN UP

[A](#) <#> [B](#) [C](#) [D](#) [E](#) [F](#) [G](#) [H](#) [I](#) [J](#) [K](#) [L](#) [M](#) [N](#) [O](#) [P](#) [Q](#) [R](#) [S](#) [T](#) [U](#) [V](#) [W](#) [X](#) [Y](#) [Z](#)

Shiitake Mushroom

[Healthcare Professional](#)

Consumer

- [Scientific Name](#)
- [Common Name](#)
- [Clinical Summary](#)
- [Food Sources](#)
- [Purported Uses](#)
- [Constituents](#)
- [Mechanism of Action](#)
- [Adverse Reactions](#)
- [Herb-Lab Interactions](#)
- [Literature Summary and Critique](#)
- [References](#)



Scientific Name

Lentinula edodes

[Top](#)

Common Name

Forest mushroom, lentinula, pasania fungus, lentinula, hua gu

[Top](#)

Clinical Summary

Shiitake mushroom, native to East Asia, is cultivated worldwide for its purported health benefits. The fresh and dried forms of the mushroom are commonly used in East Asian cooking. It is also valued as an anticancer agent.

Lentinan (1,3 beta-D-glucan), a polysaccharide isolated from Shiitake, has been well studied and is thought responsible for Shiitake's beneficial effects. It was shown to have anticancer effects in colon cancer cells [\(1\)](#), which may be due to its ability to suppress cytochrome P450 1A enzymes that are known to metabolize pro-carcinogens to active forms [\(2\)](#).

Lentin, the protein component, has strong antifungal properties, inhibits proliferation of leukemic cells, and suppresses the activity of human immunodeficiency virus-1 reverse transcriptase [\(3\)](#). Studies conducted with Shiitake extracts in vitro and in mice revealed the mushroom's antiproliferative [\(4\)](#), cytotoxic [\(21\)](#), immunostimulatory [\(4\)](#), hepatoprotective [\(5\)](#), antimutagenic [\(6\)](#), and anticaries [\(7\)](#) properties, but a clinical trial failed to show effectiveness in the treatment of prostate cancer [\(8\)](#).

Results from two small studies of HIV-positive patients who were administered intravenous lentinan showed a statistically insignificant increase in CD4 cells and neutrophil activity in some patients; researchers also

reported severe adverse effects in some patients [\(9\)](#).

But improvements in quality of life and survival were seen with an oral formulation of superfine dispersed lentinan in patients with hepatocellular carcinoma [\(15\)](#), gastric [\(16\)](#), colorectal [\(17\)](#), and pancreatic [\(18\)](#) cancers. An orally administered Shiitake mycelial extract decreased the incidence of adverse effects associated with chemotherapy in a small study of patients with advanced gastrointestinal cancer [\(22\)](#).

Large scale studies are needed to establish Shiitake as a useful adjunct to cancer treatment.

[Top](#)

Food Sources

Available as fresh or dried whole mushroom.

[Top](#)

Purported Uses

- Cancer prevention
- Cancer treatment
- High cholesterol
- Immunostimulation
- Infections

[Top](#)

Constituents

- Polysaccharides: Lentinan, 1-3-beta-D-glucan
- Protein: Lentin
- Lipids: Linoleic Acid
- Ergosterol
- Amino Acids: Lysine, arginine, methionine and phenylalanine
- Minerals and electrolytes: Potassium, calcium, magnesium, manganese, iron, copper, and zinc
- Lignins

[\(3\)](#)

[Top](#)

Mechanism of Action

Lentinan possesses immune-regulatory, antimicrobial, anti viral, and cholesterol-lowering effects [\(13\)](#). The water extract of shiitake decreased IL-1 production and apoptosis in human neutrophils. However, it increased apoptosis in U937 monocytic cell line [\(14\)](#). Lentin, the protein component of shiitake, has strong antifungal effects. An in vitro study has shown lentin can inhibit the proliferation of leukemia cells and suppress the activity of human immunodeficiency virus-1 reverse transcriptase [\(3\)](#).

[Top](#)

Adverse Reactions

Case Reports:

Chronic hypersensitivity pneumonitis was observed in a lung cancer patient following exposure to Shiitake spores [\(10\)](#).

Prolonged consumption of Shiitake powder resulted in dermatitis, photosensitivity [\(11\)](#), eosinophilia, and gastrointestinal upset [\(12\)](#).

Intermittent skin eruptions (dermatitis), over a period of 16 years, were linked to consumption of shiitake mushrooms in a 45-year-old male [\(19\)](#).

Food allergy manifested as oesophageal symptoms was reported in a 37-year-old man following consumption of shiitake mushroom [\(20\)](#).

Hypersensitivity pneumonia was reported in a 37-year-old man following inhalation of Shiitake mushroom spores [\(23\)](#).

[Top](#)

Herb Lab Interactions

Chronic consumption of Shiitake may increase eosinophil count. [\(12\)](#)

[Top](#)

Literature Summary and Critique

Few significant clinical studies have been performed with the shiitake mushroom. However, [lentinan](#), a

polysaccharide component of the mushroom, has been studied extensively.

[Top](#)

References

1. Ng ML, Yap AT. [Inhibition of human colon carcinoma development by lentinan from shiitake mushrooms \(*Lentinus edodes*\)](#). *J Altern Complement Med* 2002;8(5):581-589.
2. Okamoto T, Kodoi R, Nonaka Y, et al. [Lentinan from shiitake mushroom \(*Lentinus edodes*\) suppresses expression of cytochrome P450 1A subfamily in the mouse liver](#). *Biofactors*. 2004;21(1-4):407-409.
3. Ngai PH, Ng TB. [Lentin, a novel and potent antifungal protein from shitake mushroom with inhibitory effects on activity of human immunodeficiency virus-1 reverse transcriptase and proliferation of leukemia cells](#). *Life Sci*. Nov 14 2003;73(26):3363-3374.
4. Israilides C, Kletsas D, Arapoglou D, et al. [In vitro cytostatic and immunomodulatory properties of the medicinal mushroom *Lentinula edodes*](#). *Phytomedicine* 2008.
5. Akamatsu S, Watanabe A, Tamesada M, et al. [Hepatoprotective effect of extracts from *Lentinus edodes* mycelia on dimethylnitrosamine-induced liver injury](#). *Biol Pharm Bull*. 2004;27(12):1957-1960.
6. de Lima PL, Delmanto RD, Sugui MM, et al. [Lentinula edodes \(Berk.\) Pegler \(Shiitake\) modulates genotoxic and mutagenic effects induced by alkylating agents in vivo](#). *Mutat Res*. 2001;496(1-2):23-32.
7. Shouji N, Takada K, Fukushima K, Hirasawa M. [Anticaries effect of a component from shiitake \(an edible mushroom\)](#). *Caries Res* 2000;34(1):94-98.
8. deVere White RW, Hackman RM, Soares SE, Beckett LA, Sun B. [Effects of a mushroom mycelium extract on the treatment of prostate cancer](#). *Urology* 2002;60(4):640-644.
9. Gordon M, Bihari B, Goosby E, et al. [A placebo-controlled trial of the immune modulator, lentinan, in HIV-positive patients: a phase I/II trial](#). *J Med* 1998;29(5-6):305-330.
10. Suzuki K, Tanaka H, Sugawara H, et al. [Chronic hypersensitivity pneumonitis induced by Shiitake mushroom spores associated with lung cancer](#). *Intern Med* 2001;40(11):1132-1135.
11. Hanada K, Hashimoto I. Flagellate mushroom (Shiitake) dermatitis and photosensitivity. *Dermatology*. 1998;197(3):255-257.
12. Levy AM, Kita H, Phillips SF, et al. [Eosinophilia and gastrointestinal symptoms after ingestion of shiitake mushrooms](#). *J Allergy Clin Immunol* 1998;101(5):613-620.
13. Hobbs C. Medicinal Mushrooms, 3rd ed. Loveland (CO): Interweave Press; 1996.
14. Sia GM, Candish JK. [Effects of shiitake \(*Lentinus edodes*\) extract on human neutrophils and the U937 monocytic cell line](#). *Phytother Res* 1999;13(2):133-7.
15. Isoda N, Eguchi Y, Nukaya H, et al. [Clinical efficacy of superfine dispersed lentinan \(beta-1,3-glucan\) in patients with hepatocellular carcinoma](#). *Hepatogastroenterology*. 2009 Mar-Apr;56(90):437-41.
16. Oba K, Kobayashi M, Matsui T, Kodera Y, Sakamoto J. [Individual patient based meta-analysis of lentinan for unresectable/recurrent gastric cancer](#). *Anticancer Res*. 2009 Jul;29(7):2739-45.
17. Hazama S, Watanabe S, Ohashi M, et al. [Efficacy of orally administered superfine dispersed lentinan \(beta-1,3-glucan\) for the treatment of advanced colorectal cancer](#). *Anticancer Res*. 2009 Jul;29(7):2611-7.
18. Shimizu K, Watanabe S, Watanabe S, et al. [Efficacy of oral administered superfine dispersed lentinan for advanced pancreatic cancer](#). *Hepatogastroenterology*. 2009 Jan-Feb;56(89):240-4.
19. Garg S, Cockayne SE. [Shiitake dermatitis diagnosed after 16 years!](#) *Arch Dermatol*. 2008 Sep;144(9):1241-2.
20. Goikoetxea MJ, Fernández-Benítez M, Sanz ML. [Food allergy to Shiitake \(*Lentinus edodes*\) manifested as oesophageal symptoms in a patient with probable eosinophilic oesophagitis](#). *Allergol Immunopathol (Madr)*. 2009 Nov-Dec;37(6):333-4.
21. Yukawa H, Ishikawa S, Kawanishi T, Tamesada M, Tomi H. [Direct cytotoxicity of Lentinula edodes mycelia extract on human hepatocellular carcinoma cell line](#). *Biol Pharm Bull*. 2012;35(7):1014-21.
22. Okuno K, Uno K. [Efficacy of orally administered *Lentinula edodes* mycelia extract for advanced gastrointestinal cancer patients undergoing cancer chemotherapy: a pilot study](#). *Asian Pac J Cancer Prev*. 2011;12(7):1671-4.

23. Ampere A, Delhaes L, Soots J, Bart F, Wallaert B. [Hypersensitivity pneumonitis induced by Shiitake mushroom spores](#). *Med Mycol*. 2012 Aug;50(6):654-7.

[Top](#)

Last updated: December 20, 2012

E-mail your questions and comments to aabouterbs@mskcc.org.

©2013 Memorial Sloan-Kettering Cancer Center